

## United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	O. I	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/755,245		01/05/2001	Fuyun Ling	PA000441	PA000441 3761	
23696	7590	08/12/2004		EXAMINER		
Qualcomm Incorporated				WAHBA, ANDREW W		
Patents Department 5775 Morehouse Drive				ART UNIT	PAPER NUMBER	
San Diego	, CA 921	21-1714		2661		
				DATE MAILED: 08/12/2004	DATE MAILED: 08/12/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

				·					
		Application	n No.	Applicant(s)					
		09/755,24	5	LING ET AL.					
	Office Action Summary	Examiner		Art Unit					
		Andrew W	Wahba	2661					
Period fo	The MAILING DATE of this communica or Reply	tion appears on the	cover sheet with the	correspondence address					
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICA assions of time may be available under the provisions of 3 SIX (6) MONTHS from the mailing date of this communical period for reply specified above is less than thirty (30) of period for reply is specified above, the maximum statuture to reply within the set or extended period for reply will reply received by the Office later than three months after ed patent term adjustment. See 37 CFR 1.704(b).	ATION.  7 CFR 1.136(a). In no eve cation.  ays, a reply within the statu orry period will apply and will, by statute, cause the appli	ent, however, may a reply be t utory minimum of thirty (30) da Il expire SIX (6) MONTHS froi ication to become ABANDON	imely filed  sys will be considered timely.  In the mailing date of this communication.  ED (35 U.S.C. § 133).					
Status									
1)⊠	Responsive to communication(s) filed	on <u>05 January 200</u>	<u>1</u> .						
2a)□	This action is <b>FINAL</b> . 2b) This action is non-final.								
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposit	ion of Claims								
5)□ 6)⊠ 7)□	Claim(s) 1-41 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.  Claim(s) is/are allowed.  Claim(s) 1-41 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/or election requirement.								
Applicat	ion Papers								
9)[	The specification is objected to by the B	Examiner.							
10)	The drawing(s) filed on is/are: a								
	Applicant may not request that any objection								
11)	Replacement drawing sheet(s) including the The oath or declaration is objected to be								
Priority	under 35 U.S.C. § 119								
a)	Acknowledgment is made of a claim fo  All b) Some * c) None of:  Certified copies of the priority do  Certified copies of the priority do  Copies of the certified copies of application from the International  See the attached detailed Office action	ocuments have bee ocuments have bee the priority docume al Bureau (PCT Rul	en received. en received in Applica ents have been recei e 17.2(a)).	ation No ved in this National Stage					
2) Noti 3) Info	nt(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO rmation Disclosure Statement(s) (PTO-1449 or PT er No(s)/Mail Date <u>6.8</u> .		4) Interview Summa Paper No(s)/Mail 5) Notice of Informa 6) Other:						

Art Unit: 2661

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
   The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claims 1-41 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Independent claims 1, 4, 8, 11, 12 and 25 reference a "set point". The Office believes that this term references the type of modulation, such as BPSK, QPSK, 16QAM, etc. The applicant can clarify the meaning of the term "set point" by pointing to the area of the specification that defines or explains it.

## Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1, 2, 4, 6, 7, 8, 9, 12, 13, 14, 19, 20, 23, and 25-32 rejected under 35 U.S.C. 102(e) as being anticipated by Olofsson et al (US Patent 6,167,031). Olofsson

Art Unit: 2661

et al discloses a method for selecting a combination of modulation and channel coding schemes on a RF link as illustrated in Fig. 8 and Fig. 9.

With regard to claims 1, 4, 8, and 12, Olofsson et al discloses a Block 801 in which link quality parameters of an RF link (selecting ... signal) are measured. Link quality parameters include C/I, signal strength, time dispersion on burst level, and BER (calculating a bit error rate) (column 11, lines 34-41). In block 803, the distribution of the channel characteristic measures may be calculated statistically in terms of mean values and variances (calculating a variance) of link quality parameters (column 11, lines 43-15). In block 811, optimum combination of modulation and channel coding schemes is selected (calculating ... set point) (column 11, line 66 – column 12, line 5).

With regard to claim 2, 6 and 9, the method disclosed by Olofsson et al may be applied to any RF signal, including the applicant's forward link power control subchannel.

With regard to claim 7, Olofsson et al discloses that the disclosed method is performed at a receiver that may be either the mobile station (subscriber unit) or base station (column 11, line 33-35).

With regard to claim 13, the applicant claims the calculator for calculating the bit error rate in which the received signal symbols are compared to a predetermined symbol sequence. A comparison between the received data and a correct version of data is inherent to any bit error calculator.

With regard to claim 14, Olofsson et al discloses a Block 801 in which link quality parameters of an RF link are measured (channel analyzer). Link quality parameters

Art Unit: 2661

include C/I, signal strength, time dispersion on burst level, and BER (channel characteristic) (column 11, lines 34-41). In block 811, optimum combination of modulation and channel coding schemes is selected (power control set point calculator) (column 11, line 66 – column 12, line 5).

With regard to claim 19, Olofsson et al discloses block 803 in which the distribution of the channel characteristic measures may be calculated statistically in terms of mean values and variances (variance calculator) of link quality parameters (column 11, lines 43-15). In block 811, optimum combination of modulation and channel coding schemes is selected (determining ... set point) (column 11, line 66 – column 12, line 5).

With regard to claim 20, Olofsson et al discloses link quality parameters that include C/I, signal strength (signal symbol strength), time dispersion on burst level, and BER (column 11, lines 34-41). In block 803, the distribution of the channel characteristic measures may be calculated statistically in terms of mean values and variances (calculating a variance) of link quality parameters (column 11, lines 43-15).

With regard to claim 23, Olofsson et al discloses link quality parameters that include C/I, signal strength, time dispersion on burst level, and BER (signal symbol error rate) (column 11, lines 34-41). In block 803, the distribution of the channel characteristic measures may be calculated statistically in terms of mean values and variances (signal variance) of link quality parameters (column 11, lines 43-15).

With regard to claim 25, Olofsson et al discloses that the disclosed method for selecting a combination of modulation and channel coding schemes on a RF link as

Art Unit: 2661

illustrated in Fig. 8 and Fig. 9 is performed at a receiver that may be either the mobile station (subscriber unit) or base station (column 11, line 33-35). Accordingly, Olofsson et al discloses that the base station includes a demodulator 96 (demodulating the first/demodulating the remaining) (column 9, lines 55-59). In block 811, optimum combination of modulation and channel coding schemes is selected (determining ... set point) (column 11, line 66 – column 12, line 5).

With regard to claim 26, 27 and 28, the method and mobile terminal disclosed by Olofsson et al may be applied to any RF signal, including the applicant's forward link power control sub-channel, a forward fundamental transmission channel or a forward dedicated control transmission channel.

With regard to claim 29, Olofsson et al discloses that the disclosed method for selecting a combination of modulation and channel coding schemes on a RF link as illustrated in Fig. 8 and Fig. 9 is performed at a receiver that may be either the mobile station (subscriber unit) or base station (column 11, line 33-35). Olofsson et al discloses a mobile station as illustrated in Fig. 5 (column 9, lines 9-10).

With regard to claim 30, Olofsson et al discloses a Block 801 in which link quality parameters of an RF link are measured. Link quality parameters include C/I, signal strength, time dispersion on burst level, and BER (bit error rate) (column 11, lines 34-41). In block 811, optimum combination of modulation and channel coding schemes is selected (calculating power control set point) (column 11, line 66 – column 12, line 5).

With regard to claim 31, the applicant claims the calculator for calculating the bit error rate in which the received signal symbols are compared to a predetermined

Art Unit: 2661

symbol sequence. A comparison between the received data and a correct version of data is inherent to any bit error calculator.

With regard to claim 32, Olofsson et al discloses a Block 801 in which link quality parameters of an RF link are measured. Link quality parameters include C/I (one channel characteristic), signal strength, time dispersion on burst level, and BER (bit error rate) (column 11, lines 34-41). In block 811, optimum combination of modulation and channel coding schemes is selected (calculating power control set point) (column 11, line 66 – column 12, line 5).

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew W Wahba whose telephone number is (703) 305-4684. The examiner can normally be reached on M-F 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas W Olms can be reached on (703) 305-4703. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

Art Unit: 2661

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Andrew Wahba

August 5, 2004

CHAU NGUYEN
SUPERVISORY PATENT EXAMINER

Page 7

**TECHNOLOGY CENTER 2600** 

Chave T. Nfuger